Prof. Yongsug Chung (Korea Polytechnic Univ.)





Ph.D. (2009) in Materials Science & Engineering, Carnegie Mellon University, Pittsburgh, PA Dissertation title: Surface and Interfacial Phenomena of Liquid Iron Alloys



Mar. 2009-Present
Professor, Head, Department of advanced materials science, Korea Polytechnic Univ.
Dec. 2016-Feb. 2017
Visiting Professor, IMRAM, Tohoku Univ., Japan
May 2002-Feb. 2009
General Manager, R&D Department, Dongbu Steel Co. Ltd.
Research Associate, Department of Metallurgy and Materials Sciences, Univ. of Toronto



- Interfcial properties at high temperature.
- Refreatory corrosion phenomena of Ironmaking/steelmaking
- Surface treatment of steel.



2018 Spring Semester GIFT Seminor

Time:June 7th 4:30~5:45pmLocation:GIFT Auditorium #101Speaker:Prof. Yongsug Chung
(Korea Polytechnic Univ.)Host:Prof. Youn-Bae Kang

http://gift.postech.ac.kr

MgAl₂O₄ Spinel Refractory: Wetting and Corrosion Properties in contact with Molten Slags

 $MgAl_2O_4$ refractories (brick and castable) are being widely used in the steelmaking process due to its low thermal conductivity, low thermal expansion coefficient and high slag resistance. However, few researches have been carried out to understand wetting and corrosion phenomena of the refractory, especially, in contact with liquid slags. The corrosion mechanisms of the refractories by liquid slags have been investigated by many researchers, and, roughly, consist of two main parts: 1) the dissolution of the refractory material into the slag and 2) the penetration of the slag into the refractory material. The penetration phenomena are considerably affected by wetting and spreading of liquid slag on refractory material. Wettability, also called dynamic wetting, is divided into two categories: non-reactive wetting and reactive wetting. In non-reactive wetting, mass transfer through the solid/liquid interface is very limited and the wetting is mostly driven by the physical forces such as inertial, gravitational, and viscous force. In reactive wetting, wettability is strongly influenced by the reaction at the solid/liquid interface. An effort to investigate the intrinsic value of wetting and spreading kinetic of MgAl₂O₄ single crystal refractory has been taken by using a Dispensed Drop Technique (DDT) with a high speed camera. Penetration phenomena of MgAl₂O₄ commercial refractory have been also studied by changing chemical composition. Corrosion of refractory in contact with a molten slag is generally occurred due to a chemical dissolution of refractory. However, a molten slag containing MnO significantly affected

corrosion phenomena of the spinel refractory. Two different corrosion phenomena of spinel refractories will be presented by Finger Rotating Technique (FRT) and the corrosion/erosion mechanism will be discussed based on spinel-slag thermodynamic consideration.

Key words: wetting, spreading, penetration, MnO containing slag, MgAl₂O₄ spinel, corrosion of refractory, erosion of refractory.